




# **SKYWALK PAVERS**

ROOFTOP PATIO SYSTEM by SKYDECK USA



## **ARCHITECTURAL ROOFTOP PAVERS**

**FOR ELEVATED TERRACES (CONCRETE, WOOD, PORCELAIN)**

### **DETAIL MANUAL**



**skydeck**  
— usa —


## TECHNICAL DATA

### SKYWALK PAVERS

Elevated Patio System by SKYDECK USA

[www.skydeckusa.com](http://www.skydeckusa.com)  
[ceagan@skydeckusa.com](mailto:ceagan@skydeckusa.com)

### STANDARD SKYWALK CONCRETE PAVER SIZE



<b>PAVER SIZES</b> (CUSTOM SIZES AVAILABLE UPON REQUEST)	11 $\frac{3}{4}$ " X 11 $\frac{3}{4}$ " - 12" X 36" - 15 $\frac{3}{4}$ " X 15 $\frac{3}{4}$ " - 18" X 18" 17 $\frac{5}{8}$ " X 23 $\frac{1}{2}$ " - 24" X 24" - 23 $\frac{1}{2}$ " X 35 $\frac{3}{8}$ " - 35 $\frac{1}{2}$ " X 35 $\frac{1}{2}$ "
<b>PAVER THICKNESS</b> (CERTAIN THICKNESS MAY NOT BE AVAILABLE FOR ALL SIZES)	MINIMUM = 1 $\frac{1}{4}$ " - MAXIMUM = 3"
<b>PAVER FINISHES</b> (CONTACT SKYDECK USA FOR COMPLETE LIST OF FINISHES)	ARCHITECTURAL - EXPOSED WASHED AGGREGATES BRICKED FACE - STIPPLE - DIAMOND
<b>PAVER COLORS</b>	CONTACT SKYDECK USA FOR A COMPLETE LIST OF THE LARGE VARIETY OF DIFFERENT PAVER COLORS
<b>COMPRESSIVE STRENGTH</b>	MINIMUM OF 8,500 POUNDS PER SQUARE INCH (PSI)
<b>FLEXURAL STRENGTH</b>	MINIMUM OF 800 POUNDS PER SQUARE INCH (PSI)
<b>DENSITY</b>	150 POUNDS PER CUBIC FOOT
<b>WATER ABSORPTION RATE</b>	LESS THAN 5 PERCENT
<b>FREEZE / THAW</b>	NO MORE THAN 1 PERCENT LOSS OF DRY WEIGHT





**skydeck**  
— usa —

## PAVER - PEDESTAL

### SKYWALK PAVERS

Elevated Patio System by SKYDECK USA

[www.skydeckusa.com](http://www.skydeckusa.com)  
[ceagan@skydeckusa.com](mailto:ceagan@skydeckusa.com)






**skydeck**  
— usa —

## PAVER - PEDESTAL LAYOUT

### SKYWALK PAVERS

Elevated Patio System by SKYDECK USA

[www.skydeckusa.com](http://www.skydeckusa.com)  
[ceagan@skydeckusa.com](mailto:ceagan@skydeckusa.com)





**skydeck**  
— usa —

## ENTRANCE THRESHOLD APPLICATION

### SKYWALK PAVERS


Elevated Patio System by SKYDECK USA

[www.skydeckusa.com](http://www.skydeckusa.com)  
[ceagan@skydeckusa.com](mailto:ceagan@skydeckusa.com)

### ENLARGED PLAN VIEW

SKYJACK PEDESTAL WITH TWO  
SPACER TABS PERPENDICULAR  
TO THE WALL


SKYJACK PEDESTAL



SLOPE DIRECTION

SKYWALK PAVERS

### THRESHOLD PEDESTAL / PAVER APPLICATION - SECTION DETAILS



#### NOTES:

1. INSTALLATION MUST BE COMPLETED IN ACCORDANCE WITH SKYDECK PRODUCT SPECIFICATIONS.
2. DRAWINGS NOT TO SCALE
3. TOP OF PAVER MUST BE BELOW ENTRANCE DOOR THRESHOLD.
4. MORE INFORMATION AVAILABLE AT [www.skydeckusa.com](http://www.skydeckusa.com)



**skydeck**  
— USA —

## RADIUS PAVER / PEDESTAL LAYOUT


### SKYWALK PAVERS

Elevated Patio System by SKYDECK USA


[www.skydeckusa.com](http://www.skydeckusa.com)

[ceagan@skydeckusa.com](mailto:ceagan@skydeckusa.com)

### ENLARGED PLAN VIEW



### RADIUS PEDESTAL / PAVER APPLICATION - SECTION DETAIL



#### NOTES:

1. INSTALLATION MUST BE COMPLETED IN ACCORDANCE WITH SKYDECK PRODUCT SPECIFICATIONS.
2. DRAWINGS NOT TO SCALE.
3. USE OF SELF LEVELING HEADS RECOMMENDED ON SLOPED AREAS.
4. MORE INFORMATION AVAILABLE AT [www.skydeckusa.com](http://www.skydeckusa.com)



**skydeck**  
— usa —


## CORNER APPLICATION

### SKYWALK PAVERS


Elevated Patio System by SKYDECK USA

[www.skydeckusa.com](http://www.skydeckusa.com)  
[ceagan@skydeckusa.com](mailto:ceagan@skydeckusa.com)

### ENLARGED PLAN VIEW



### CORNER PEDESTAL APPLICATION



#### NOTES:

1. INSTALLATION MUST BE COMPLETED IN ACCORDANCE WITH SKYDECK PRODUCT SPECIFICATIONS.
2. DRAWINGS NOT TO SCALE.
3. USE OF SELF LEVELING HEADS RECOMMENDED ON SLOPED AREAS.
4. MORE INFORMATION AVAILABLE AT [www.skydeckusa.com](http://www.skydeckusa.com)



**skydeck**  
— usa —


## ROOF DRAIN APPLICATION

### SKYWALK PAVERS


Elevated Patio System by SKYDECK USA

[www.skydeckusa.com](http://www.skydeckusa.com)  
[ceagan@skydeckusa.com](mailto:ceagan@skydeckusa.com)

### ENLARGED PLAN VIEW



### ROOF DRAIN APPLICATION



#### NOTES:

1. INSTALLATION MUST BE COMPLETED IN ACCORDANCE WITH SKYDECK PRODUCT SPECIFICATIONS.
2. DRAWINGS NOT TO SCALE.
3. USE OF SELF LEVELING HEADS RECOMMENDED ON SLOPED AREAS.
4. MORE INFORMATION AVAILABLE AT [www.skydeckusa.com](http://www.skydeckusa.com)





**skydeck**  
— usa —


## PAVER CONTAINMENT DETAIL

### SKYWALK PAVERS


Elevated Patio System by SKYDECK USA

[www.skydeckusa.com](http://www.skydeckusa.com)  
[ceagan@skydeckusa.com](mailto:ceagan@skydeckusa.com)

### METAL EDGING CONTAINMENT



### WOOD FASCIA CONTAINMENT



#### NOTES:

1. INSTALLATION MUST BE COMPLETED IN ACCORDANCE WITH SKYDECK PRODUCT SPECIFICATIONS.
2. DRAWINGS NOT TO SCALE.
3. USE OF SELF LEVELING HEADS RECOMMENDED ON SLOPED AREAS.
4. MORE INFORMATION AVAILABLE AT [www.skydeckusa.com](http://www.skydeckusa.com)



**skydeck**  
— usa —


## PAVER CONTAINMENT DETAIL

### SKYWALK PAVERS


Elevated Patio System by SKYDECK USA

[www.skydeckusa.com](http://www.skydeckusa.com)  
[ceagan@skydeckusa.com](mailto:ceagan@skydeckusa.com)

### STEP DOWN CONTAINMENT



### GREEN ROOF CONTAINMENT



#### NOTES:

1. INSTALLATION MUST BE COMPLETED IN ACCORDANCE WITH SKYDECK PRODUCT SPECIFICATIONS.
2. DRAWINGS NOT TO SCALE.
3. USE OF SELF LEVELING HEADS RECOMMENDED ON SLOPED AREAS.
4. MORE INFORMATION AVAILABLE AT [www.skydeckusa.com](http://www.skydeckusa.com)




**skydeck**  
— Usa —

## PAVER CONTAINMENT DETAIL

### SKYWALK PAVERS

Elevated Patio System by SKYDECK USA

[www.skydeckusa.com](http://www.skydeckusa.com)  
[ceagan@skydeckusa.com](mailto:ceagan@skydeckusa.com)



#### NOTES:

1. INSTALLATION MUST BE COMPLETED IN ACCORDANCE WITH SKYDECK PRODUCT SPECIFICATIONS.
2. DRAWINGS NOT TO SCALE.
3. USE OF SELF LEVELING HEADS RECOMMENDED ON SLOPED AREAS.
4. MORE INFORMATION AVAILABLE AT [www.skydeckusa.com](http://www.skydeckusa.com)