



# skydeck

— **usa** —  
pavers . pedestals . green roof

## skyjack pedestal system

*Our 37 years in the roofing industry led us to design the simplest installing pedestal on the market ensuring a gorgeous patio*

Removeable **spacer tabs** don't break off like other pedestals, ensuring perfect paver spacing throughout the project.



**Innovative**

Uniquely designed to ensure a perfect patio every time

Smooth sliding, self-leveling head automatically **accommodates up to 7% slope** making ramps and slopes seamless.



Wide pedestal head with several holes to **adjust removable spacer tabs to any material**, including concrete or porcelain pavers and decking.



Screw ring with **easy grip handles** for rapid height regulation for a perfectly level patio every time.

**Value Engineered**

Exceeds spec requirements without exceeding the budget



Wide base for **stabilization**. Flat sides allow them to be installed close to walls to support narrow cut pavers.


# skyjack specs & pedestal options

The **skyjack** adjustable pedestal system by skydeck usa meets architectural specifications for all pedestal projects **below market pricing**

Type of Pedestal	Height		Central max load
	from	to	
AP00 - AP02	.3"	2.75"	up to 2150 lbs
AP03 or AP04	2.75"	8.5"	up to 2350 lbs
AP04 + up to 4 extenders	8.5"	24"	up to 2350 lbs

**Load Capacity\*** skydeck usa pedestals are resistant to a load pressure of no less than 2150lbs, exerted over the entire surface, regardless of the height and the adjustment of the pedestal (within permissible range).

## Self Leveling for Slopes



Hot and Cold  
Temperature  
Resistant from  
-12° to 212 °F




skydeck usa is a  
green company, using  
earth friendly  
recyclable materials

## Size Options for Every Project Need

\* Multiple 4" skydeck extender sleeves can be added to achieve heights up to 4 feet

\*\* Compatible with any decking or paver





# Easy Installation Procedure

## skyjack adjustable pedestal system

### SD Pedestal Tips:

- Shims can be used to correct small height changes in the pavers or decking



- To estimate the number of pedestals needed for a job, multiply the total # of pavers needed by .3. Be sure to calculate extra for unique designs and circumstances.
- Tabs can be twisted or placed in different holes for use with decking supports as shown below.



- A laser level is the fastest way to ensure a perfectly level patio surface

### Pedestal Assembly:

\*\*When using optional self leveling head, click two parts together

optional self leveling head

click

#1

snap spacers onto optional self leveling head



OR

spacer tabs

snap spacers onto pedestal head

pedestal head

height regulator

twist

#2

Twist easy grip handles to attain desired pedestal height

twist

4" height extender

\*Optional: Add 4" spacer(s) for achieving heights over 8"

#3

Slide onto base

base