




SKYWALK PAVERS

ROOFTOP PATIO SYSTEM by SKYDECK USA



ARCHITECTURAL ROOFTOP PAVERS

FOR ELEVATED TERRACES (CONCRETE, WOOD, PORCELAIN)

DETAIL MANUAL



skydeck
— usa —


TECHNICAL DATA

SKYWALK PAVERS

Elevated Patio System by SKYDECK USA

www.skydeckusa.com
ceagan@skydeckusa.com

STANDARD SKYWALK CONCRETE PAVER SIZE



PAVER SIZES (CUSTOM SIZES AVAILABLE UPON REQUEST)	11-3/4" x 11-3/4" 11-3/4" x 23-1/2" 11-3/4" x 36" 11-7/8" x 47-7/8" 12" x 36" 14-1/2" x 14-1/2"	14-5/8" x 29-5/8" 15-3/4" x 15-3/4" 15-3/4" x 23-5/8" 17-5/8" x 17-5/8" 17-5/8" x 23-1/2" 17-5/8" x 35-3/8"	23-1/2" x 23-1/2" 23-3/4" x 23-3/4" 23-7/8" x 23-7/8" 24" x 24" 23-1/2" x 29-1/2" 23-1/2" x 35-3/8"	23-7/8" x 35-7/8" 23-7/8" x 47-7/8" 29-1/2" x 29-1/2" 29-3/4" x 29-3/4" 35-1/2" x 35-1/2" 47-1/2" x 47-1/2"
PAVER THICKNESS (CERTAIN THICKNESS MAY NOT BE AVAILABLE FOR ALL SIZES)	MINIMUM = 1 1/4" - MAXIMUM = 3"			
PAVER FINISHES (CONTACT SKYDECK USA FOR COMPLETE LIST OF FINISHES)	ARCHITECTURAL - EXPOSED WASHED AGGREGATES BRICKED FACE - STIPPLE - DIAMOND			
PAVER COLORS	CONTACT SKYDECK USA FOR A COMPLETE LIST OF THE LARGE VARIETY OF DIFFERENT PAVER COLORS			
COMPRESSIVE STRENGTH	MINIMUM OF 8,500 POUNDS PER SQUARE INCH (PSI)			
FLEXURAL STRENGTH	MINIMUM OF 800 POUNDS PER SQUARE INCH (PSI)			
DENSITY	150 POUNDS PER CUBIC FOOT			
WATER ABSORPTION RATE	LESS THAN 5 PERCENT			
FREEZE / THAW	NO MORE THAN 1 PERCENT LOSS OF DRY WEIGHT			




skydeck
— usa —

PAVER or IPE TILE - PEDESTAL

SKYWALK PAVERS


Elevated Patio System by SKYDECK USA

www.skydeckusa.com
INFO@skydeckusa.com



SKYWALK ARCHITECTURAL CONCRETE PAVER
23.5" SQUARE (TYP.), 2" THICKNESS (TYP.)

$\frac{3}{16}$ " SPACER GAP (TYP.)







skydeck
— usa —

PAVER on GRATE - PEDESTAL

SKYWALK PAVERS

Elevated Patio System by SKYDECK USA

www.skydeckusa.com
INFO@skydeckusa.com






skydeck
— usa —

PAVER - PEDESTAL LAYOUT

SKYWALK PAVERS

Elevated Patio System by SKYDECK USA

www.skydeckusa.com
ceagan@skydeckusa.com





skydeck
— usa —

ENTRANCE THRESHOLD APPLICATION

SKYWALK PAVERS


Elevated Patio System by SKYDECK USA

www.skydeckusa.com
ceagan@skydeckusa.com

ENLARGED PLAN VIEW

SKYJACK PEDESTAL WITH TWO
SPACER TABS PERPENDICULAR
TO THE WALL


SKYJACK PEDESTAL



SLOPE DIRECTION

SKYWALK PAVERS

THRESHOLD PEDESTAL / PAVER APPLICATION - SECTION DETAILS



NOTES:

1. INSTALLATION MUST BE COMPLETED IN ACCORDANCE WITH SKYDECK PRODUCT SPECIFICATIONS.
2. DRAWINGS NOT TO SCALE
3. TOP OF PAVER MUST BE BELOW ENTRANCE DOOR THRESHOLD.
4. MORE INFORMATION AVAILABLE AT www.skydeckusa.com



skydeck
— USA —

RADIUS PAVER / PEDESTAL LAYOUT


SKYWALK PAVERS

Elevated Patio System by SKYDECK USA


www.skydeckusa.com

ceagan@skydeckusa.com

ENLARGED PLAN VIEW



RADIUS PEDESTAL / PAVER APPLICATION - SECTION DETAIL



NOTES:

1. INSTALLATION MUST BE COMPLETED IN ACCORDANCE WITH SKYDECK PRODUCT SPECIFICATIONS.
2. DRAWINGS NOT TO SCALE.
3. USE OF SELF LEVELING HEADS RECOMMENDED ON SLOPED AREAS.
4. MORE INFORMATION AVAILABLE AT www.skydeckusa.com



skydeck
— usa —


CORNER APPLICATION

SKYWALK PAVERS


Elevated Patio System by SKYDECK USA

www.skydeckusa.com
ceagan@skydeckusa.com

ENLARGED PLAN VIEW



CORNER PEDESTAL APPLICATION



NOTES:

1. INSTALLATION MUST BE COMPLETED IN ACCORDANCE WITH SKYDECK PRODUCT SPECIFICATIONS.
2. DRAWINGS NOT TO SCALE.
3. USE OF SELF LEVELING HEADS RECOMMENDED ON SLOPED AREAS.
4. MORE INFORMATION AVAILABLE AT www.skydeckusa.com



skydeck
— usa —


ROOF DRAIN APPLICATION

SKYWALK PAVERS


Elevated Patio System by SKYDECK USA

www.skydeckusa.com
ceagan@skydeckusa.com

ENLARGED PLAN VIEW



ROOF DRAIN APPLICATION



NOTES:

1. INSTALLATION MUST BE COMPLETED IN ACCORDANCE WITH SKYDECK PRODUCT SPECIFICATIONS.
2. DRAWINGS NOT TO SCALE.
3. USE OF SELF LEVELING HEADS RECOMMENDED ON SLOPED AREAS.
4. MORE INFORMATION AVAILABLE AT www.skydeckusa.com



skydeck
— usa —


PAVER CONTAINMENT DETAIL

SKYWALK PAVERS


Elevated Patio System by SKYDECK USA

www.skydeckusa.com
ceagan@skydeckusa.com

METAL EDGING CONTAINMENT



WOOD FASCIA CONTAINMENT



NOTES:

1. INSTALLATION MUST BE COMPLETED IN ACCORDANCE WITH SKYDECK PRODUCT SPECIFICATIONS.
2. DRAWINGS NOT TO SCALE.
3. USE OF SELF LEVELING HEADS RECOMMENDED ON SLOPED AREAS.
4. MORE INFORMATION AVAILABLE AT www.skydeckusa.com



skydeck
— usa —


PAVER CONTAINMENT DETAIL

SKYWALK PAVERS


Elevated Patio System by SKYDECK USA

www.skydeckusa.com
ceagan@skydeckusa.com

STEP DOWN CONTAINMENT



GREEN ROOF CONTAINMENT



NOTES:

1. INSTALLATION MUST BE COMPLETED IN ACCORDANCE WITH SKYDECK PRODUCT SPECIFICATIONS.
2. DRAWINGS NOT TO SCALE.
3. USE OF SELF LEVELING HEADS RECOMMENDED ON SLOPED AREAS.
4. MORE INFORMATION AVAILABLE AT www.skydeckusa.com




skydeck
— Usa —

PAVER CONTAINMENT DETAIL

SKYWALK PAVERS

Elevated Patio System by SKYDECK USA

www.skydeckusa.com
ceagan@skydeckusa.com



NOTES:

1. INSTALLATION MUST BE COMPLETED IN ACCORDANCE WITH SKYDECK PRODUCT SPECIFICATIONS.
2. DRAWINGS NOT TO SCALE.
3. USE OF SELF LEVELING HEADS RECOMMENDED ON SLOPED AREAS.
4. MORE INFORMATION AVAILABLE AT www.skydeckusa.com